

## CCTDD20003

STD – DIN – prigušivač svjetla na daljinsko upravljanje – 1000 W



### Glavno

Range	Acti 9
Product name	Acti 9 STD
Product or component type	Remote control dimmer
Device short name	STD

### Komplementarno

Device application	Building
Load type	Low voltage halogen lamp with conventional transformer, ( 60...1000 W ) Motor, ( 60...600 W ) Halogen lamp, ( 230 V ) ( AC ) ( 60...1000 W ) Incandescent lamp, ( 230 V ) ( AC ) ( 60...1000 W )
Control type	Local control: push-button Remote control: push-button
Power consumption in VA	0.8 VA
Thermal losses	3 W
Input type	Push-button
[Ue] rated operational voltage	230 V ( +/- 10 % ) AC, 50 Hz
Protection type	Electronic overload protection Electronic overvoltage protection Electronic over temperature protection Single shot thermal fuse
Mounting support	DIN rail
9 mm pitches	8
Connected auxiliaries	Maximum 25 auxiliary push-buttons without light indication, distance : < 50 m Maximum 5 auxiliary push-buttons with light indication, distance : < 50 m
Connections - terminals	Screw terminals, 2 cable(s) <= 4 mm <sup>2</sup> top
Height	85 mm
Width	72 mm
Depth	62 mm
Product weight	120 g

### Okolina

IP degree of protection	IP20
standards	EN 60669-2-1
directives	89/336/EEC - electromagnetic compatibility 73/23/EEC - low voltage directive
ambient air temperature for operation	0...70 °C
ambient air temperature for storage	0...60 °C

### Offer Sustainability

Not Green Premium product	Not Green Premium product
Compliant - since 0947 - Schneider Electric declaration of conformity	Compliant - since 0947 - Schneider Electric declaration of conformity
Reference not containing SVHC above the threshold	Reference not containing SVHC above the threshold

Informacije dane u ovoj dokumentaciji sadrže opće opise i/ili tehničke karakteristike o performansama ovdje sadržanih proizvoda.  
Ova dokumentacija nije namijenjena kao zamjena za niti bi se trebala koristiti za određivanje prikladnosti ili pouzdanosti predmetnih proizvoda za konkretne korisničke primjene.  
Svaki takav korisnik ili integrator dužan je provesti odgovarajuću i potpunu analizu rizika, procjenu i ispitivanje proizvoda u odnosu na odgovarajuću specifičnu primjenu ili uporabu istog.  
Niti društvo Schneider Electric Industries SAS niti bilo koje od njegovih povezanih poduzeća ili podružnica neće preuzeti obvezu ili snositi odgovornost za pogrešnu upotrebu ovdje sadržanih informacija.

Available

Available

---

**Contractual warranty**

Warranty period

18 months

---