

Podatkovni list proizvoda

Karakteristike

MGU3.532.25

Unica KNX – infracrveno tipkalo – 2-smjerna – 10 A,
250 V AC – 2 m – slonovača



Glavno

| | |
|---------------------------|------------------|
| Range | Unica |
| Aesthetic name | Unica KNX |
| Product or component type | Switch |
| Device application | Control |
| Device presentation | Mechanism |
| Bus type | KNX |
| Sensor type | Infrared sensor |
| Cover plate colour tint | White (RAL 9010) |

Komplementarno

| | |
|-------------------------------|---|
| Rated current | 10 A, 250 V AC, 50/60 Hz |
| Insulation resistance | > 5 MOhm @500 V |
| Dielectric strength | > 2000 V |
| Number of modules | 2 modules |
| Switch function | 2-way |
| Contacts type and composition | 2 NO |
| Opening distance | > 3 mm |
| Transmission support medium | Infrared |
| Actuator | Push-button |
| Pilot light | Blue LED: 1 mA (temperature : 15 °C) |
| Connections - terminals | Screwless terminals |
| Cable cross section | <= 2.5 mm ² (flexible) <= 2.5 mm ² (rigid) |
| Material | Plastic |
| Surface finish | Brilliant |
| Device mounting | Flush |
| Fixing mode | Screws |

Okolina

| | |
|---------------------------------------|--|
| IP degree of protection | IP20 |
| IK degree of protection | IK01 |
| ambient air temperature for operation | -5...45 °C |
| environmental characteristic | Acetone Alcohol Ammonia Bleach Liquid soap Oil Petrol UV resistant Window-cleaning fluid |
| environmental health and issues | Halogen free |
| standards | EMC directive LV directive |

Offer Sustainability

| | |
|-----------------------------|-----------------------------|
| Not Green Premium product | Not Green Premium product |
| Will be Compliant on 4Q2019 | Will be Compliant on 4Q2019 |

Informacije dane u ovoj dokumentaciji sadrže opće opise i/ili tehničke karakteristike o performansama ovdje sadržanih proizvoda.
 Ova dokumentacija nije namijenjena kao zamjena za niti bi se trebala koristiti za određivanje prikladnosti ili pouzdanosti predmetnih proizvoda za konkretne korisničke primjene.
 Svaki takav korisnik ili integrator dužan je provesti odgovarajuću i poplunu analizu rizika, procjenu i ispitivanje specifičnu primjenu ili uporabu istog.
 Niti društvo Schneider Electric Industries SAS niti bilo koje od njegovih povezanih poduzeća ili podružnica neće preuzeti obvezu ili snositi odgovornost za pogrešnu upotrebu ovdje sadržanih informacija.

Will be Compliant on 4Q2019

| | |
|---|---|
| Reference not containing SVHC above the threshold | Reference not containing SVHC above the threshold |
| Available | Available |
| Need no specific recycling operations | Need no specific recycling operations |

Contractual warranty

| | |
|-----------------|-----------|
| Warranty period | 18 months |
|-----------------|-----------|